

APR 0 5 2004



Steve Y. Cho, Reg. No. 44,612, (650) 326-2400 Titled: Modeling System for Graphic User Interface App. No. 10/712,771 Filed: November 12, 2003 Dckt. No. 017900-003810US Sheet 2 of 23



Steve Y. Cho, Reg. No. 44,612, (650) 326-2400 Titled: Modeling System for Graphic User Interface App. No. 10/712,771 Filed: November 12, 2003 Dckt. No. 017900-003810US Sheet 3 of 23





FIG. 3A






FIG. 3D




FIG. 4






FIG. 5

Steve Y. Cho, Reg. No. 44,612, (650) 326-2400
Titled: Modeling System for Graphic User Interface
App. No. 10/712,771 Filed: November 12, 2003
Dckt. No. 017900-003810US
Sheet 8 of 23










FIG. 7B





FIG. 7E






FIG. 9

14/23

以以(中)(中)(中)(中)(中)	▼ Data Sources X	Connect to SAP System A	Portal:	System: (AUX)	Search SAP System	Search function modules by group Search function modules by group Brawse business objects repository	Name: BAPI_BANK*	ESP BAPI_BANKDETAII_DELETE ESP BAPI_BANKDETAII_DELETE	ESP BAPI_BANDETAIL_ŒTDETAIL ESP BAPI BANDETAIL ŒTLIST	KEY BAPI BANKDETAIL REQUEST	KEP BAPI BANKNZ CHANGE	EZP BAPI_BANNZ_CREATESUCCESSOR	KEP BAPI_BANKNZ_GETDETAIL KEP BAPI_BANKNZ_GETDETAILEDLIST	ESP BAPT, BANDAZ, PEQUEST ESP BAPT, BANDAZ, SIMILATECREATION	ESP BAPT BANK CHANGE	ESP BAPI BANK GETDETAIL	ESP BAPI BANK GETLIST ESP BAPI BANK SAVEREPLICA	Gee
and the second	10096	×		-										-				-
			-				-										-	
`*									-								-	
	7		-			-	-											-
					***************************************						Bank Address Sank Octail		B			· · · · · · · · · · · · · · · · · · ·		- 100
6						-				-[Bank		Bank Getdetail			· —		
			1				1		 	_/	Input			<u> </u>				-
@ F.	,.		BANK				-											
4. 四人用母子:田田人	,		-		7	Bank tist		# J	+					<u> </u>				
							3	Bank Getlist	-							,		
CG			<u> </u>		/	- O Input	-	_J										-
							-			* **-		-						©
	BANK.		- Least						 									- O
The Edit Search Model Editor Model State [(M3 + BANK +		Daros (missa) Joseph						_			 		-				& A TA TA
File Edik Searth Nodel Build Tools SDK ① 答曲:日 日 色: 本 物 電: 「	6		<u></u>	-+		<u> </u>	-		1			- •		-				

FIG. 104

Steve Y. Cho, Reg. No. 44,612, (650) 326-2400
Titled: Modeling System for Graphic User Interface
App. No. 10/712,771 Filed: November 12, 2003
Dckt. No. 017900-003810US
Sheet 15 of 23

	100%	▼ Data Sources
M3 » BANK »	OFR OI	
Sgn / Layout / Preview / Source		Portal: http://gulm1.tlvp.sap.corp
		System: ADIT
		login Lo
		Search SAP System
		Search function modules by name
		O Search function modules by group
	()	O Browse business objects repository
		Name: BAPI_BANK*
	[BAPT BANKDETAIL DELETE
		825 RALI BANKDE LATE DEFINITI
		BESP BAPI_BANKDETAIL_GETDETAIL
		SSP BAPI_BANKDETAIL_GETLIST
		829 BAPI_BANKDETAIL_REQUEST
		ESP BAPI BANKNZ CHANGE
		ESP BAPI BANKNZ CREATE
		SEP BAPI BANKNZ CREATESUCCESSOR
		BEST BAPI_BANKNZ_GETDETAIL
	1	ESP BAPI_BANKNZ_GETDETAILEDLIST
		BAPI_BANKNZ_REQUEST
		BAPI_BANKNZ_SIMULATECREATION
		SEEP BAPI_BANK_CHANGE
		- BED BAPI_BANK_CREATE
		EZ BAPI_BANK_GETDETAIL
		BEP BAPI BANK GETLIST
		BEP BAPI BANK SAVEREPLICA

FIG. 10B




FIG. 11A

Steve Y. Cho, Reg. No. 44,612, (650) 326-2400
Titled: Modeling System for Graphic User Interface
App. No. 10/712,771 Filed: November 12, 2003
Dckt. No. 017900-003810US
Sheet 17 of 23

1//23

	100%	▼ Element Pro	perties
M3 · BANK ·	OFR 91:1		Option
edgn / Layout / Preview / Source		Behavier	7
		Name Installation Installatio	

FIG. 11B

18/23




FIG. 12

FIG. 13

File Entr Search Model Build Tools SDK Window Help	SA GUINNACHINE
	14 (14 (14 (14 (14 (14 (14 (14 (14 (14 (
	 ■ Bennent Properties
MC * CANY *	→ suppliers →
Dodyn Livout Prentew Source	3 Behavior
xml version="1.0" encoding="Windows-1255"; <iwew author="public" id="AADEBC" modified="13/08/2003 11:45:26" name="BANK" pos="185" width="750" win=""></iwew>	Name: BANK
1 -SAPFunction Id="ADAEBD" name="Bank Getlist" sap_system="ADIT" sap_function="BANK_GETLIST" pos="245 45" size -1 -	Užer, agent:
1.1 < Port id="AEAEBE" name="Input" role="INPUT" spec="DT_OBJ_IN" fields="(BANK_CTRYI-{type110',add1'R',idx10',req1'but ^?	HTTP method:
13 < Port id="AEAEBG" name="Bank List" role="BANK_LIST" spac="DT_SET_OUT" fields =" (BANK_CTRY: (type: '10', add i'R', idx:	Mew Caption:
ACAEBH" name	Geraphic Symbol
2.1 < Port id="AEAEBI" name="In" role="IN" spec="UI_OBJ_IN" anchor="L13" pos="0 13" fields="\rightarroll 13"/>	Background:
2	- Documentation
	Description:
4 AGADANEW Id="ACCEBL" name="banks List" pose=273 170" spec="GRID_VIEW" box_style="2" box_features="TTL MAV SCR EDG"."	Hypertrik
42 < Port Id="AEAEBN" name="out" role="OUT" spec="UI_SET_OUT" anchor="R25" pos="120 25" fields="\(\theta\)"/>	
4	Author: Public 1945.26
S <dataflow fields="{}" id="AFAEBO" pos="-65 -85" spec="DT_FLOW" src="#1D[AEAEBQ]" trg="#1D[AEAEBM]"></dataflow>	GKR 1D. AADFRC
6 <sapfunction . ="" id="ADAEO2" name="Bank Getdetail" pos="435.24" sap_function="BAPL_BANK_GETDETAIL" sap_system="ADIT" th="" ="" <=""><th></th></sapfunction>	
6.2 < Port Id="AEAEP1" name="Bank Address" role="BANK ADDRESS" spec="DT_OB.] OUT" fields="{GRNK_NAME:{Cype:10'.add: Id= Control of C	
6.4 < Port id "AEAEP3" name="	
Le 7 < Datamap id="AFAEP4" name="select" src="#ID[AEAEBN]" trg="#ID[AEAEP0]" spec="DT_MAP" pos="80 0" fields="(BANKCOUN")	
8 <form aeaep6"="" anchor="L3" box_features="TTL </th><th></th></tr><tr><th>8.1 < Port id=" box_style="2" id="ACAEPS" in="" name="in role=" pos="U.3" spec="UL_OBJ_IN" view=""></form> 8.2 < Port id="AEAEP7" name="out" role="OUT" spec="UL_OBJ_OUT" anchor="R13" pos="100 13"/>	The state of the s
8	
9 < Datariow (de: ArAEPS srd 910 ArAEPT) vg= 410 ArAEPG spece DI_FLOW pos= 43 U fields= <- /r>	
10.1 < Port id -"AEAEPA" name -"In" role -"IN" spec -"UI_OBJ_IN" anchor -"LIS" pos -"0 18" fields -"0 "/>	
102 <port anchor="R15" id="%EAEPB" name="out" pos="100 15" role="OUT" spec="UI OBJ OUT"></port> (1	

FIG. 14

### SEARCH F. ## ### ### ### ### #### ######	Fig. Edit Search Model Build Tools SDK, Window Help	いることのこうちょ
* Cade Compiler * Cade Compiler Cade Compiler	2 日 8 開 4 7 @ 5 4 4 1	
possit;	com.sapportals.guimachine.m3.Bank_ctl.java	▼ Code Compiler ×
Portai: [WIDI/[Quim] MyD. Sept.cop Portai: [WiDI/[Quim] MyD. Sept	package con.sapportals.guinachine.apGait;	
This property of the control of the	manuf data util #:	
Compiler Ditions Compiler Ditions Compiler Ditions	import com sapportals.htmlb. ";	http://gum1.thp.sap.co
mcontroller (mcontr	import con sapportals htmlb event. ";	=
mcontroller { mcontr	import com. sapportals, portal. prt. Component. ";	Select Compiler Options
Compile business package this.get PortalRequest ().getComponentContext ().getProfile(); compiler Output Noise ("ACAEH DATA", this, 2); formal context ().getComponentContext ().getProfile(); formal context ().getComponentContext ().getContext ().getProfile(); formal context ().getComponentContext ().getContext ().getProfile(); formal context ().getComponentContext ().getContext ().getC	public class Bank_ctl extends GalDynController (Platform: EP5 / HTML For Bushness
Operation of the state of the s	7 A ROLL O 22 D O CO CO CO D D D D D D D D D D D D D	O Check model for errors
	// INITIALIZATION PRASI	Compile business package Deploy peckage to portal
Frofile profile = this.getPortalRequest().getComponentContext().getProfile(); TOR "Search Porn" Hodel is valid! Hodel is valid! Model is valid! Whew Code [View Code [View Code [View Code [View Code [View Code [View Code [View Code [View Code [View Code [View Code [View Code [View Code [View Code [O Deploy and run in browser
realComponentProfile profile = this.getPortalRequest().getComponentComtext().getProfile(); Compiler Dutput DEFINE INTERACTOR 'Search Forn' PornView ACARDE and Barch Forn' Define infoshape for 'Search Forn' Infoste ACARDE DATA = new Gallnfostage("ACARDE DATA", this, ACARDE DATA, 'neme:DATA"); Define infoshape aCARDE BARD = new Gallnfostage("ACARDE SHAPE", this, ACARDE DATA, 'neme:DATA"); Define infoshape aCARDE SHAPE = new Gallnfostage("ACARDE SHAPE", this, ACARDE DATA, 'neme:DATA"); Model is velid! Model is velid! Now Code ("Wew Code) ("Wew Code) ("Mem Code)	public wold init() (El Overwite all
#### Compiler Output CAERH_DAIA*, this, 2); CAERH_DAIA*, this, 2); CAERH_DAIA*, this, ACAEBH_DAIA, "neme:DAIA*); Pet("ACAEBH_SHADE", this, ACAEBH_DAIA, "neme:DAIA*); ##ind:V;vppe:10;abs:1;x:304;y:16;v:120;h:16;neme:BARK_CINY; "#ind:V;vppe:0;x:305;1;x:305;y:16;v:120;h:16;neme:BARK_CINY; "#ind:S;vppe:101;cmd:SUBHIT;abs:1;x:576;y:16;v:80;h:16;neme:ABBHI;d "Cype:101;kind:S;abs:1;x:568;y:48;v:80;h:16;neme:ABBHI;d "Cype:102;kind:S;abs:1;x:576;y:8;v:120;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:576;y:8;v:120;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:576;y:16;v:170;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:100;y:120;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:100;y:120;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:100;y:120;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:100;y:120;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:100;y:120;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:100;y:120;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:100;y:120;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:100;y:120;h:16;neme:ABBHI;d "Cype:11;kind:Y;abs:1;x:100;y:120;h:100;h	rtalComponentProfile profile -	Compile
#### TALEMEN SHAPE, this, ACAEBE DATA, "neme:DATA"; ###################################		Committee Outbut
### ### ##############################	// DEFINE INTERACTOR "Scarch Form"	
De("ACAKEH_DAIA", this, ACAKEH_DAIA, "neas:DAIA"); "Mind:V;cype:10;abs:1;x:104;y:16;w:120;h:16;name:RAEK_CINT; "Mind:V;cype:5;abs:1;x:320;y:46;w:120;h:16;name:RAEK_CINT; "Type:101;xind:S;abs:1;x:568;y:46;w:30;h:16;name:RAEK_CINT; "type:101;xind:S;abs:1;x:568;y:48;x:30;h:16;name:LABH1;d "Cype:102;kind:S;abs:1;x:568;y:48;x:120;h:16;name:LABH1;d "Cype:11;kind:V;abs:1;x:576;y:8;w:120;h:16;name:DAIR;dispx[] "Cype:11;kind:V;abs:1;x:576;y:8;w:120;h:16;name:DAIR;dispx[] "Cype:11;kind:V;abs:1;x:576;y:8;w:120;h:16;name:DAIR;dispx[] "Cype:11;kind:V;abs:1;x:576;y:8;w:120;h:16;name:DAIR;dispx[] "Cype:11;kind:V;abs:1;x:576;y:8;w:120;h:16;name:DAIR;dispx[]		Model is valid!
CAERH_DATA", this; this, ACAEBH_DATA, "neme:DATA"); "wind:V;vpe:10;abs:1;x:104;y:16;v:120;h:16;name:BARK_CINY; "wind:V;vpe:5;abs:1;x:30;y:16;v:120;h:16;name:HAX_NGWS;dil" "thind:Y;vpe:5;abs:1;x:30;y:16;v:120;h:16;name:HAX_NGWS;dil" "type:101;kind:S;abs:1;x:568;y:489;s00;h:16;name:LABHL;d" "type:102;kind:S;abs:1;x:506;y:120;v:120;h:16;name:LABHL;d" "type:11;kind:Y;abs:1;x:576;y:8;v:120;h:16;name:DATHL;dispx "type:11;kind:Y;abs:1;x:576;y:16;v:16;v:16;v:16;v:16;v:16;v:16;v:16;v	EbjformView ACAREH a new HbjformView ("ACAREH", this, 2);	
	// Define infoset for "Search Form"	
	UBIDIOSSC ALABBI DAIA = neg uminiosec (Alabah Daia), unis);	
	// Define infoshape for "Search Form" Calinfoshape ACAEBH_SHADE " new Calinfoshape("ACAEBH_SHADE", this, ACAEBH_DAIA, "neme:DAIA");	:
hind: V; type: 10; abs: 1; x: 104; y: 16; w: 120; h: 16; name: BARK_CIRY; Wew Code Wind: V; type: 5; abs: 1; x: 320; y: 16; w: 120; h: 16; name: HAX_BOWS; discreption Related to the content of	ACAEBE_DATA. secInfoshape(ACAEBE_SEADE); ACAEBE. addInfoshape(ACAEBE_SEADE);	
#ind:V;type:10;abs:1;x:320;y:16;v:120;h:16;name:BARK_CIRY; #ind:V;type:5;abs:1;x:320;y:16;v:120;h:16;name:HAX_NOWS;dic #ind:S;type:101;cmd:SUBHIT;abs:1;x:576;y:16;v:80;h:16;name:LABHII;d # Sart Debuggs # type:102;kind:S;abs:1;x:50;y:120;v:120;h:16;name:LABHII;d # Design Degram # type:11;kind:V;abs:1;x:576;y:8;v:120;h:16;name:DATHI:dispx[Y]	// Define fields for "Search Form"	لے ۔
######################################		
'type:101;kind:S;abs:1;x:568;y:48;v:80;h:16;cmd:HYEVENT;nam''' 'type:102;kind:S;abs:1;x:100;y:120;v:120;h:16;name:LABEL1;d''' 'type:11;kind:V:abs:1;x:576;y:8;v:120;h:16;name:DATEL;dispmlT		y 40 %
Calintofield("F5", this, ACAKER SHAPE, "type:11; bind: V:abs:1;x:576; y:8; w:120;h:16; name:DATE1; dispu[]		Skart Debugger
BOOM ADOCK TO THE TOTAL TOTA	Calintofield("FS", chis, ACAKEH SHAPE,	• •

FIG. 15

42143

The second secon	B Sawhoard Bill Off braw	Welcome oren shoham	Search Personalize: Page Portal Log Off	in Support												o de la companya de l	The Control of the Co					.
and a few comments of the control of	अस्ता कुल्ला <u>।</u>			Content Admin Portal Monitoring System Configuration Banks View • UR Sangle Page • Fage 560	erandi and distribution of the state of the		Submit		City	Chicago	New York	New York City	Philadelphia	Mariton	New York	4/1			9			
4.	@made (2) [2] - (3) [2] - [3]			****			25		Bank Name	First Union Bank & Trust	Citibank	Chase Manhattan Bank	Commerce Bank	PNC	Chase Manahattan		Bank Detail Form		Formatting: [25.01.1996	Method:		
454	arch ÆlFavorites	A Company of the Comp		My Payps Portal Admin	A second		Max Rows:		Bank Key	083000108	12312年23	123445678	12345678	123456780	123456784				Jare			
File Edit View Fevorites Tools	4-Book · 4 · © 3 dd @ So	GAD CALL			BANK	Search Form	Bank Ctry: Us	to I solve B	Bank Ctry	Sn	sn	sn	ns	NS	Sn	нисьни	Bank Address Form	Bank Name: Citibank	Bank Branch: Time Square	City: New York	Post Bank:	e e

FIG. 16

ð

▼ Model Explorer	×
Options -	·
Model_1 Page 1 Page 2 Page 3 Page 3 Page 3 Portion iView 1 - Employee Benefits Input Form Output Form Personal Data Grid Employee Getdata Employee Getdist Employee Getlist Employee Getlist Input Form Personal Data Grid Input Form Personal Data Grid Input Form Inpu	
Related tasks	
Search Model Open Another Model	

FIG. 17